



ALBANY PARKING AUTHORITY PARKING GARAGE ACCESSIBILITY ALTERATIONS

ALBANY, NEW YORK

SEPTEMBER 26, 2016

ParkAlbany

ARCHITECTURAL ABBREVIATIONS


NOTE: NOT ALL ABBREVIATIONS ARE NECESSARILY USED ON THIS PROJECT

AB.	ABOVE	L.L.V.	LONG LEG VERTICAL
A.C.T.	ACOUSTICAL CEILING TILE	L.L.H.	LONG LEG HORIZONTAL
ANC.	ANCHOR	L.F.	LINEAL FEET
A.F.F.	ABOVE FINISHED FLOOR	LAM.	LAMINATE
ALUM.	ALUMINUM	LAV.	LAVATORY
ALT.	ALTERNATE	MAS.	MASONRY
ARCH.	ARCHITECT(URAL)	MAX.	MAXIMUM
@	AT	MIN.	MINIMUM
BIT.	BITUMINOUS	MAT.	MATERIAL
BLDG.	BUILDING	MTG.	MOUNTING
B.M.	BENCH MARK	M.C.	MECHANICAL CONTRACTOR
B.F.F.	BELOW FINISH FLOOR	MECH.	MECHANICAL
BD.	BOARD	MANUF.	MANUFACTURER
BLK.	BLOCK	M.O.	MASONRY OPENING
BOT.	BOTTOM	M.R.G.W.B.	MOISTURE RESISTANT GYPSUM WALLBOARD
BRG.	BEARING	MT	MARBLE THRESHOLD
BSMT.	BASEMENT	N.A.	NOT APPLICABLE
CAB.	CABINET	NO.	NUMBER
CAR.	CARPET	NOM.	NOMINAL
C.J.	CONTROL JOINT	N.T.S.	NOT TO SCALE
CONC.	CONCRETE	N.I.C.	NOT IN CONTRACT
CONT.	CONTINUOUS	O.C.	ON CENTER
C.M.U.	CONCRETE MASONRY UNIT	OPNG.	OPENING
CL.	CLEAR	O.D.	OUTSIDE DIAMETER
CONST.	CONSTRUCTION	PART.	PARTICLE
CONTR.	CONTRACTOR	PART'N.	PARTITION
CLG.	CEILING	P.C.	PLUMBING CONTRACTOR
COL.	COLUMN	PTD.	PAINTED
COORD.	COORDINATE	PLAM.	PLASTIC LAMINATE
C.T.	CERAMIC TILE	P.S.F.	POUNDS PER SQUARE FOOT
C.W.	CASEWORK	P.S.I.	POUNDS PER SQUARE INCH
CL	CENTER LINE	PLYWD.	PLYWOOD
DET.	DETAIL	PL.	PLATE
DWG.	DRAWING	±	PLUS OR MINUS
DR.	DOOR	PLAS.	PLASTER
DN.	DOWN	Q.T.	QUARRY TILE
D.S.	DOWNSPOUT	RAA	REMOTE ALARM ANNUNCIATOR
DIM.	DIMENSION	REINF.	REINFORCED or REINFORCING
Ø	DIAMETER	R.D.	ROOF DRAIN
EXIST.	EXISTING	REQ'D.	REQUIRED
ELEC.	ELECTRICAL	R.A.	RETURN AIR
ELEV.	ELEVATION or ELEVATOR	R.O.	ROUGH OPENING
E.C.	ELECTRICAL CONTRACTOR	RAD.	RADIUS
EXP.	EXPOSED or EXPANSION	REC.	RECESSED
EXT.	EXTERIOR	RM.	ROOM
EACH	EACH	S.C.	SEALED CONCRETE
EQ.	EQUAL	S.A.	SUPPLY AIR
EQUIP.	EQUIPMENT	S.C.	SOLID CORE
E.W.	EACH WAY	SCH.	SCHEDULE
ETR.	EXISTING TO REMAIN	SECT.	SECTION
E.P.	EPOXY PAINT	SH.	SHELF or SHEATHING
E.J.	EXPANSION JOINT	SHJ	SAWCUT JOINT
FACP	FIRE ALARM CONTROL PANEL	SI	SIMILAR
F.D.	FLOOR DRAIN	SIM.	SIMILAR
FDN.	FOUNDATION	SPECS.	SPECIFICATIONS
F.G.	FIBERGLASS	SQ.	SQUARE
FLR.	FLOOR	S.S.	STAINLESS STEEL or SERVICE SINK
FIN.	FINISH(ED)	STD.	STANDARD
F.F.E.	FINISH FLOOR ELEVATION	STL.	STEEL
FT.	FOOT or FEET	STR.	STRUCTURAL
FTG.	FOOTING	T.B.D.	TO BE DETERMINED
FURR.	FURRING	TG	TEMPERED GLASS
FRP	FIBERGLASS REINFORCED PANEL	TIG	TEMPERED INSULATED GLASS
F.C.B.	FIBER CEMENT BOARD	THK.	THICK(NESS)
G.C.	GENERAL CONTRACTOR	T.O.M.	TOP OF MASONRY
G.R.D.	GRADE	T.O.S.	TOP OF STEEL
GL.	GLASS	TYP.	TYPICAL
GA.	GAUGE	THRES.	THRESHOLD
GALV.	GALVANIZED	U.N.O.	UNLESS NOTED OTHERWISE
G.W.B.	GYPSUM WALL BOARD	V.B.	VAPOR BARRIER
H.C.	HOLLOW CORE	VERT.	VERTICAL
H.M.	HOLLOW METAL	V.C.T.	VINYL COMPOSITION TILE
HORIZ.	HORIZONTAL	V.I.F.	VERIFY IN FIELD
HST.	HEIGHT	W/	WITH
HDW.	HARDWARE	W/O	WITHOUT
H.V.A.C.	HEATING, VENTILATING, & AIR CONDITIONING	WD.	WOOD
I.D.	INSIDE DIAMETER	WIN.	WINDOW
INA	INACTIVE	W.G.	WIRE GLASS
INSUL.	INSULATION	W.W.M.	WELDED WIRE MESH
INT.	INTERIOR		
INV.	INVERT		
J.T.	JOINT		

ALBANY PARKING AUTHORITY
25 ORANGE STREET
ALBANY, NY 12207-2224

MATT PETER
EXECUTIVE DIRECTOR

SEAN PALLADINO
DIRECTOR OF OPERATIONS



MAP LEGEND

- A. QUACKENBUSH GARAGE**
ORANGE ST. BETWEEN BROADWAY & WATER ST.
- B. RIVERFRONT GARAGE**
COLUMBIA ST. BETWEEN BROADWAY & WATER ST.
- C. GREEN-HUDSON GARAGE**
HUDSON AVE. & GREEN ST.

INDEX OF DRAWINGS

- G-001 TITLE SHEET
- A-101 QUACKENBUSH GARAGE LEVEL 1 - PARKING LAYOUT PLAN
- A-102 QUACKENBUSH GARAGE LEVEL 2 - 5 - PARKING LAYOUT PLAN
- A-103 RIVERFRONT GARAGE LOWER LEVEL - EXISTING PAVEMENT REPAIRS
- A-104 RIVERFRONT GARAGE LOWER LEVEL - EXISTING PARKING LAYOUT PLAN
- A-105 RIVERFRONT GARAGE LOWER LEVEL NORTH - PARKING LAYOUT PLAN
- A-106 RIVERFRONT GARAGE LOWER LEVEL WEST - PARKING LAYOUT PLAN
- A-107 RIVERFRONT GARAGE LOWER & UPPER LEVEL SOUTH - PARKING LAYOUT PLAN
- A-108 RIVERFRONT GARAGE LOWER LEVEL EAST - PARKING LAYOUT PLAN
- A-109 GREEN-HUDSON GARAGE LOWER LEVEL - EXISTING PARKING LAYOUT PLAN
- A-110 GREEN-HUDSON GARAGE LOWER LEVEL WEST - PARKING LAYOUT PLAN
- A-111 GREEN-HUDSON GARAGE LOWER LEVEL WEST - PARKING LAYOUT
- A-112 GREEN-HUDSON GARAGE LOWER LEVEL EAST - PARKING LAYOUT PLAN
- A-113 GREEN-HUDSON GARAGE 3RD LEVEL - EXISTING & NEW PARKING LAYOUT
- A-114 GREEN-HUDSON GARAGE 4TH LEVEL - EXISTING & NEW PARKING LAYOUT
- A-115 GREEN-HUDSON GARAGE 5TH LEVEL - EXISTING & NEW PARKING LAYOUT
- A-501 PARKING DETAILS
- A-502 SIGNAGE DETAILS

APA PROJECT NO. 2016-04

© 2016


C.T. MALE ASSOCIATES

WARNING: IT IS A VIOLATION OF THE LAW FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED ARCHITECT, TO ALTER AN ITEM IN ANY WAY. IF AN ITEM BEARING THE SEAL OF AN ARCHITECT IS ALTERED, THE ALTERING ARCHITECT SHALL AFFIX TO HIS ITEM THE SEAL AND THE NOTATION "ALTERED BY" FOLLOWED BY HIS SIGNATURE AND THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION. ARCHITECTURE - COMMISSIONER'S REGULATIONS PART 69.5.

WARNING: IT IS A VIOLATION OF THIS LAW FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. IF AN ITEM BEARING THE SEAL OF AN ENGINEER OR LAND SURVEYOR IS ALTERED, THE ALTERING ENGINEER OR LAND SURVEYOR SHALL AFFIX TO THE ITEM HIS SEAL AND THE NOTATION "ALTERED BY" FOLLOWED BY HIS SIGNATURE AND THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION. PROFESSIONAL ENGINEERING AND LAND SURVEYING - ART. 145, SECTION. 7209


C.T. MALE ASSOCIATES
ENGINEERING, SURVEYING,
ARCHITECTURE & LANDSCAPE ARCHITECTURE, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
518.786.7400 * FAX 518.786.7299




PROJECT NO. 16.6275
DRAWING NO. 16-0380

G-001



1 EXISTING LEVEL 1 PARKING LAYOUT
 SCALE: 3/32"=1'-0"
 CROSS REFERENCE: INFORMATION TAKEN FROM DRAWINGS TITLED "REPAIR AND PREVENTATIVE MAINTENANCE - 2006", PREPARED BY DESMAN ASSOCIATES, DATED MAY 25, 2006.



2 NEW LEVEL 1 PARKING LAYOUT
 SCALE: 3/32"=1'-0"
 CROSS REFERENCE: 1/A-101



3 EXISTING ENTRANCE GATE CLEARANCE BARS
 SCALE: NONE
 CROSS REFERENCE: 1/A-101



4 EXISTING RAMP
 SCALE: NONE
 CROSS REFERENCE: 1/A-101



5 EXISTING CURB RAMP
 SCALE: NONE
 CROSS REFERENCE: 1/A-101



6 EXISTING ACCESSIBLE SPACES TO BE REMOVED
 SCALE: NONE
 CROSS REFERENCE: 1/A-101

CAD DWG. FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\02-A-101 - Quackenbush Garage - Level 1.dwg

CAD DWG. FILE NAME: 02-A-101 - Quackenbush

LEGEND	
	= PAY & DISPLAY METER
	= BOLLARD
	= ACCESSIBLE PAVEMENT MARKING
	= DIRECTIONAL MARKING
	= SPRINKLER LINE
	= ACCESSIBLE PARKING SIGNAGE
	= VAN ACCESSIBLE SIGNAGE
	= ACCESS AISLE SIGNAGE
	= ACCESS AISLE
	= GAS LINE

SYMBOLS LIST	
	DETAIL TAG
	SECTION TAG
	ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

RICHARD A. CAMPAGNOLA
R.A. 025359

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016
C.T. MALE ASSOCIATES

DESIGNED: RAC
DRAFTED: BPM
CHECKED: RAC
PROJ. NO: 16.6275
SCALE: AS NOTED
DATE: 9/26/2016

QUACKENBUSH GARAGE LEVEL 1 PARKING LAYOUT PLAN


ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY


C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299


A-101
 SHEET 2 OF 18
 DWG. NO: 16-0380




1
A-102
EXISTING LEVEL 2 THRU 5 PARKING LAYOUT PLANS
SCALE: 3/32"=1'-0"
CROSS REFERENCE: INFORMATION TAKEN FROM DRAWINGS TITLED "REPAIR AND PREVENTATIVE MAINTENANCE - 2006", PREPARED BY DESMAN ASSOCIATES, DATED MAY 25, 2006.




2
A-102
NEW LEVEL 2 THRU 5 PARKING LAYOUT PLANS
SCALE: 3/32"=1'-0"
CROSS REFERENCE: 1/A-102



3
A-102
ENLARGED RAMP PLAN
SCALE: 1/4"=1'-0"
CROSS REFERENCE: 2/A-101, 2/A-102



4
A-102
RAMP SECTION
SCALE: 3/4"=1'-0"
CROSS REFERENCE: 3/A-102



5
A-102
EXISTING CURB AT ACCESSIBLE ROUTE
SCALE: NONE
CROSS REFERENCE: 1/A-102

CAD DWG. FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\03-A-102 - Quackenbush Garage - Level 2.dwg

CAD DWG. FILE NAME: 03-A-102 - Quackenbush

LEGEND	
	= PAY & DISPLAY METER
	= BOLLARD
	= ACCESSIBLE PAVEMENT MARKING
	= DIRECTIONAL MARKING
	= ACCESSIBLE PARKING SIGNAGE
	= VAN ACCESSIBLE SIGNAGE
	= ACCESS AISLE SIGNAGE
	= ACCESS AISLE

SYMBOLS LIST	
	DETAIL TAG
	SECTION TAG
	ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

RICHARD A. CAMPAGNOLA
R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016
C.T. MALE ASSOCIATES

DESIGNED: RAC
DRAFTED: BPM
CHECKED: RAC
PROJ. NO: 16.6275
SCALE: AS NOTED
DATE: 9/26/2016

QUACKENBUSH GARAGE LEVEL 2 THRU 5 PARKING LAYOUT PLAN


ALBANY PARKING AUTHORITY
25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.


50 CENTURY HILL DRIVE, LATHAM, NY 12110
518.786.7400 * FAX 518.786.7299

	A-102
	SHEET 3 OF 18
	DWG. NO: 16-0380





GENERAL ASPHALT PAVEMENT REPAIR NOTES:

- CONTRACTOR TO FIELD VERIFY ALL LOCATIONS INDICATED PRIOR TO SUBMISSION OF BID. ADDITIONAL WORK REQUESTED BY OWNER SHALL BE PERFORMED IN ACCORDANCE WITH UNIT PRICES.
- ENVIRONMENTAL LIMITATIONS: DO NOT APPLY ASPHALT MATERIALS IF SUBGRADE IS WET OR EXCESSIVELY DAMP, IF RAIN IS IMMINENT OR EXPECTED BEFORE TIME REQUIRED FOR ADEQUATE CURE, OR IF THE FOLLOWING CONDITIONS ARE NOT MET:
 - APPLY TACK COATS WHEN THE AMBIENT TEMPERATURE IS 50° F AND HAS NOT BEEN BELOW 35° F FOR 12 HOURS PRIOR TO APPLICATION.
 - DO NOT APPLY WHEN THE SURFACE IS WET.
 - CONSTRUCT ASPHALT COURSE ONLY WHEN TEMPERATURE IS ABOVE 45° F, WHEN THE ADJOINING SURFACES ARE DRY, AND WHEN WEATHER IS NOT RAINY.
- GRADE CONTROL: MAINTAIN THE REQUIRED LINES, GRADES, AND WIDTHS.
- SUBBASE SURFACE: THE CONTRACTOR SHALL PRIME COAT THE SUBBASE SURFACE IF IT HAS BEEN DAMAGED BY WEATHER OR USE.
- TRAFFIC CONTROL: MAINTAIN VEHICULAR AND PEDESTRIAN TRAFFIC DURING PAVING OPERATIONS.
- SURFACE PREPARATION: IMMEDIATELY BEFORE PLACING ASPHALT MATERIALS, REMOVE LOOSE AND DELETERIOUS MATERIAL FROM SUBSTRATE SURFACES.
- COLD MILLING: CLEAN EXISTING PAVEMENT SURFACE OF LOOSE AND DELETERIOUS MATERIAL IMMEDIATELY BEFORE COLD MILLING. REMOVE EXISTING ASPHALT PAVEMENT BY COLD MILLING TO GRADES AND CROSS SECTIONS INDICATED.
 - MILL TO A DEPTH OF 1-1/2 INCHES.
 - MILL TO A UNIFORM FINISHED SURFACE FREE OF EXCESSIVE GOUGES, GROOVES, AND RIDGES.
 - CONTROL RATE OF MILLING TO PREVENT TEARING OF EXISTING ASPHALT COURSE.
 - MANHOLES, AND OTHER CONSTRUCTION DAMAGED DURING COLD MILLING.
 - EXCAVATE AND TRIM UNBOUND-AGGREGATE BASE COURSE, IF ENCOUNTERED, AND KEEP MATERIAL SEPARATE FROM MILLED HOT-MIX ASPHALT.
 - PATCH SURFACE DEPRESSIONS DEEPER THAN 1 INCH AFTER MILLING, BEFORE WEARING COURSE IS LAID.
 - KEEP MILLED PAVEMENT SURFACE FREE OF LOOSE MATERIAL AND DUST.
 - DO NOT ALLOW MILLED MATERIALS TO ACCUMULATE ON-SITE.
- PATCHING: SAW CUT PERIMETER OF PATCH AND EXCAVATE EXISTING PAVEMENT SECTION TO SOUND BASE. EXCAVATE RECTANGULAR OR TRAPEZOIDAL PATCHES, EXTENDING 12 INCHES INTO PERIMETER OF ADJACENT SOUND PAVEMENT, UNLESS OTHERWISE INDICATED. CUT EXCAVATION FACES VERTICALLY. REMOVE EXCAVATED MATERIAL. RECOMPACT EXISTING UNBOUND-AGGREGATE BASE COURSE TO FORM NEW SUBGRADE.
- TACK COAT: BEFORE PLACING PATCH MATERIAL, APPLY TACK COAT UNIFORMLY TO VERTICAL ASPHALT SURFACES ABUTTING THE PATCH. ALLOW TACK COAT TO CURE UNDISTURBED BEFORE APPLYING HOT-MIX ASPHALT PAVING. AVOID SMEARING OR STAINING ADJOINING SURFACES, APPURTENANCES, AND SURROUNDINGS. REMOVE SPILLAGES AND CLEAN AFFECTED SURFACES.
- PLACING PATCH MATERIAL: FILL EXCAVATED PAVEMENT AREAS WITH HOT-MIX ASPHALT BASE MIX FOR FULL THICKNESS OF PATCH AND, WHILE STILL HOT, COMPACT FLUSH WITH ADJACENT SURFACE.
- REPAIRS: INSTALL AND COMPACT LEVELING COURSE CONSISTING OF HOT-MIX ASPHALT SURFACE COURSE TO LEVEL SAGS AND FILL DEPRESSIONS DEEPER THAN 1 INCH (25 MM) IN EXISTING PAVEMENTS.
- CRACK AND JOINT FILLING: REMOVE EXISTING JOINT FILLER MATERIAL FROM CRACKS OR JOINTS TO A DEPTH OF 1/4".
- JOINTS: CONSTRUCT JOINTS TO ENSURE A CONTINUOUS BOND BETWEEN ADJOINING PAVING SECTIONS. CONSTRUCT JOINTS FREE OF DEPRESSIONS, WITH SAME TEXTURE AND SMOOTHNESS AS OTHER SECTIONS OF HOT-MIX ASPHALT COURSE.



KEY:
 [Dashed Box] AREAS OF EXISTING ASPHALT PAVEMENT TO BE PATCHED/LEVELLED



NOTE:
 IF DEPTH OF EXISTING PAVEMENT SECTION EXCEEDS 3 INCHES, PLACE NEW ASPHALT IN TWO (2) EQUAL THICKNESS LIFTS. EACH LIFT TO BE COMPACTED.

1 RIVERFRONT GARAGE - LOWER LEVEL
 A-103 SCALE: 1/32"=1'-0"
 CROSS REFERENCE: INFORMATION TAKEN FROM DRAWINGS TITLED "REPAIR AND PREVENTATIVE MAINTENANCE - 2006", PREPARED BY DESMAN ASSOCIATES, DATED MAY 25, 2006.

2 PAVEMENT TRANSITION DETAIL
 A-103 SCALE: NONE
 CROSS REFERENCE: 1/A-103

LEGEND

	= PAY & DISPLAY METER		= ACCESSIBLE PARKING SIGNAGE
	= BOLLARD		= VAN ACCESSIBLE SIGNAGE
	= ACCESSIBLE PAVEMENT MARKING		= ACCESS AISLE SIGNAGE
	= DIRECTIONAL MARKING		= ACCESS AISLE

SYMBOLS LIST

	DETAIL TAG		SECTION TAG		ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION				
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED				

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

RICHARD A. CAMPAGNOLA
 R.A. 025359

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.
 © 2016
 C.T. MALE ASSOCIATES
 DESIGNED: RAC
 DRAFTED: BPM
 CHECKED: RAC
 PROJ. NO: 16.6275
 SCALE: AS NOTED
 DATE: 9/26/2016

RIVERFRONT GARAGE LOWER LEVEL EXISTING PAVEMENT REPAIRS

ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.
 50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299

A-103
 SHEET 4 OF 18
 DWG. NO: 16-0380

CAD DWG. FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\04-A-103 - Riverfront Garage Lower Level With Photos.dwg


CAD DWG. FILE NAME: 04-A-103 - Riverfront

GENERAL NOTES:

1. ALL WORK SHALL BE PERFORMED IN STRICT COMPLIANCE WITH ALL THE REQUIREMENTS OF LOCAL, STATE AND APPLICABLE BUILDING SAFETY CODES, AND ALL GOVERNING AGENCIES HAVING JURISDICTION OVER THE PROJECT.
2. THE DRAWINGS ARE A SCHEMATIC REPRESENTATION OF THE PARKING GARAGE LAYOUTS BASED UPON LIMITED AVAILABLE INFORMATION PROVIDED BY THE OWNER, THE INTENT OF WHICH IS TO MAINTAIN THE EXISTING LAYOUT AND DIMENSIONS WHILE PROVIDING THE INDICATED IMPROVEMENTS FOR ACCESSIBILITY. THE CONTRACTOR SHALL NOTIFY THE AUTHORITY IMMEDIATELY OF ANY CONFLICT BETWEEN THESE NOTES AND DETAILS AND THE AS-FOUND CONDITIONS. THE CONTRACTOR SHALL NOT PROCEED WITH THE WORK FOR WHICH THE ALLEGED CONFLICT HAS BEEN DISCOVERED UNTIL SUCH ALLEGED CONFLICT HAS BEEN RESOLVED. NO CLAIM SHALL BE MADE BY THE CONTRACTOR FOR DELAY DAMAGES AS A RESULT OF RESOLUTION OF ANY SUCH CONFLICT(S).
3. WALKING SURFACES SHALL HAVE A MAXIMUM RUNNING SLOPE OF 5.0% AND CROSS SLOPE OF 2.0%.
4. ANY WALKING SURFACE WITH A RUNNING SLOPE GREATER THAN 5.0% IS A RAMP AND SHALL COMPLY WITH THE REQUIREMENTS FOR RAMP OR CURB RAMP.
5. TRANSITIONS BETWEEN RAMP, WALKS, LANDINGS, GUTTERS OR STREETS SHALL BE FLUSH AND FREE OF ABRUPT VERTICAL CHANGES (1/4 MAXIMUM VERTICAL CHANGE IN LEVEL).
6. THE MINIMUM CLEAR WIDTH SHALL BE THIRTY-SIX (36) INCHES FOR A ROUTE SEGMENT LENGTH GREATER THAN TWENTY-FOUR (24) INCHES.
7. DIRECTIONAL SIGNAGE INDICATING THE ROUTE TO THE NEAREST ACCESSIBLE BUILDING ENTRANCE SHALL BE PROVIDED AT INACCESSIBLE BUILDING ENTRANCES.
8. ACCESSIBLE PARKING SPACES SHALL BE LOCATED ON THE SHORTEST ACCESSIBLE ROUTES OF TRAVEL FROM ADJACENT PARKING TO AN ACCESSIBLE BUILDING ENTRANCE.
9. PARKING ACCESS AISLES SHALL BE PART OF AN ACCESSIBLE ROUTE TO THE BUILDING OR FACILITY ENTRANCE AND SHALL COMPLY WITH PROVISIONS FOR ACCESSIBLE ROUTES.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROPERLY AND SAFELY MAINTAINING CONSTRUCTION ACTIVITY WITHIN THE LIMITS OF THE CONSTRUCTION SITE.
11. NO WORK, STORAGE, OR TRESPASS IS ALLOWED BEYOND THE SITE PROPERTY LINES OR PUBLIC RIGHTS-OF-WAY.
12. THE CONTRACTOR SHALL RESTORE EXISTING FEATURES THAT HAVE BEEN DISTURBED DURING CONSTRUCTION TO A CONDITION AT LEAST AS GOOD AS THEY WERE PRIOR TO SAID DISTURBANCE. FEATURES SHALL EITHER BE PROTECTED OR REMOVED AND REPLACED IN-KIND AS THEY WERE PRIOR TO THEIR REMOVAL. ANY DAMAGED FEATURES SHALL BE REPLACED IN-KIND AT THE CONTRACTOR'S EXPENSE.

SAFEGUARDS DURING CONSTRUCTION


1. PROTECTION REQUIRED: ADJOINING PORTIONS OF PROPERTY SHALL BE PROTECTED FROM DAMAGE DURING CONSTRUCTION, REMODELING AND DEMOLITION WORK. CONSTRUCTION EQUIPMENT AND MATERIALS SHALL BE STORED AND PLACED SO AS NOT TO ENDANGER THE PUBLIC, THE WORKERS OR ADJOINING PROPERTY FOR THE DURATION OF THE CONSTRUCTION PROJECT. REQUIRED EXITS, EXISTING STRUCTURAL ELEMENTS, FIRE PROTECTION DEVICES AND SANITARY SAFEGUARDS SHALL BE MAINTAINED AT ALL TIMES DURING REMODELING, ALTERATIONS, AND REPAIRS TO ANY BUILDING OR STRUCTURE.
2. PROTECTION OF PEDESTRIANS: PEDESTRIANS SHALL BE PROTECTED DURING CONSTRUCTION, REMODELING AND DEMOLITION ACTIVITIES AS REQUIRED BY THE BUILDING CODE OF NEW YORK. SIGNS SHALL BE PROVIDED TO DIRECT PEDESTRIAN TRAFFIC.
3. REPAIR, MAINTENANCE AND REMOVAL: PEDESTRIAN PROTECTION SHALL BE MAINTAINED IN PLACE AND KEPT IN GOOD ORDER FOR THE ENTIRE LENGTH OF TIME PEDESTRIANS MAY BE ENDANGERED. UPON THE COMPLETION OF THE CONSTRUCTION ACTIVITY, SHALL IMMEDIATELY REMOVE WALKWAYS, DEBRIS AND OTHER OBSTRUCTIONS AND LEAVE SUCH PUBLIC PROPERTY IN AS GOOD A CONDITION AS IT WAS BEFORE SUCH WORK WAS COMMENCED.
4. STORAGE AND HANDLING OF MATERIALS: THE TEMPORARY USE OF STREETS OR PUBLIC PROPERTY FOR THE STORAGE OR HANDLING OF MATERIALS OR OF EQUIPMENT REQUIRED FOR CONSTRUCTION OR DEMOLITION, AND THE PROTECTION PROVIDED TO THE PUBLIC SHALL COMPLY WITH THE PROVISIONS OF THE AUTHORITY HAVING JURISDICTION AND THIS CHAPTER.
5. OBSTRUCTIONS: CONSTRUCTION MATERIALS AND EQUIPMENT SHALL NOT BE PLACED OR STORED SO AS TO OBSTRUCT ACCESS TO FIRE HYDRANTS, STANDPIPES, FIRE OR POLICE ALARM BOXES, CATCH BASINS OR MANHOLES, NOR SHALL SUCH MATERIAL OR EQUIPMENT BE LOCATED WITHIN 20 FEET OF A STREET INTERSECTION, OR PLACED SO AS TO OBSTRUCT NORMAL OBSERVATIONS OF TRAFFIC.
6. TRAFFIC CONTROL: MAINTAIN VEHICULAR AND PEDESTRIAN TRAFFIC DURING PAVING OPERATIONS.



1 RIVERFRONT GARAGE - LOWER LEVEL
 SCALE: 1/32"=1'-0"
 CROSS REFERENCE: INFORMATION TAKEN FROM DRAWINGS TITLED "REPAIR AND PREVENTATIVE MAINTENANCE - 2006", PREPARED BY DESMAN ASSOCIATES, DATED MAY 25, 2006.



2 VIEW FROM COLUMBIA STREET
 SCALE: NONE
 CROSS REFERENCE: 1/A-104



3 VIEW FROM HUDSON RIVERWAY
 SCALE: NONE
 CROSS REFERENCE: 1/A-104



4 COLUMBIA STREET ENTRANCE
 SCALE: NONE
 CROSS REFERENCE: 1/A-104



5 MAIDEN LANE ENTRANCE
 SCALE: NONE
 CROSS REFERENCE: 1/A-104

LEGEND

	= PAY & DISPLAY METER		= ACCESSIBLE PARKING SIGNAGE
	= BOLLARD		= VAN ACCESSIBLE SIGNAGE
	= ACCESSIBLE PAVEMENT MARKING		= ACCESS AISLE SIGNAGE
	= DIRECTIONAL MARKING		= ACCESS AISLE

SYMBOLS LIST

	DETAIL TAG		SECTION TAG		ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION		SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION		SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

RICHARD A. CAMPAGNOLA
 R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.
 © 2016 C.T. MALE ASSOCIATES
 DESIGNED: RAC
 DRAFTED : BPM
 CHECKED : RAC
 PROJ. NO : 16.6275
 SCALE : AS NOTED
 DATE : 9/26/2016


RIVERFRONT GARAGE LOWER LEVEL EXISTING PARKING LAYOUT PLAN

ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.
 50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299

A-104
 SHEET 5 OF 18
 DWG. NO: 16-0380



3 EXISTING ACCESSIBLE ROUTE AT GATE
 SCALE: NONE
 CROSS REFERENCE: 1/A-105



4 EXISTING ENTRANCE GATE CLEARANCE BARS
 SCALE: NONE
 CROSS REFERENCE: 1/A-105



5 EXISTING RESERVED PARKING SPACES/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 1/A-105



6 EXISTING RESERVED PARKING SPACES/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 1/A-105




7 EXISTING CURB RAMP AT RESERVED PARKING SPACE
 SCALE: NONE
 CROSS REFERENCE: 1/A-105



8 EXISTING PAVEMENT MARKINGS/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 1/A-105

1 EXISTING PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-104



2 NEW PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-105

SYMBOLS LIST

	DETAIL TAG		SECTION TAG		ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION				
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED				

LEGEND

	= PAY & DISPLAY METER		= ACCESSIBLE PARKING SIGNAGE
	= BOLLARD		= VAN ACCESSIBLE SIGNAGE
	= ACCESSIBLE PAVEMENT MARKING		= ACCESS AISLE SIGNAGE
	= DIRECTIONAL MARKING		= ACCESS AISLE

RICHARD A. CAMPAGNOLA
 R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.
 © 2016
 C.T. MALE ASSOCIATES
 DESIGNED: RAC
 DRAFTED : BPM
 CHECKED : RAC
 PROJ. NO : 16.6275
 SCALE : AS NOTED
 DATE : 9/26/2016

RIVERFRONT GARAGE LOWER LEVEL NORTH PARKING LAYOUT PLAN

ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207


CITY OF ALBANY

C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.
 50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299


A-105
 SHEET 6 OF 18
 DWG. NO: 16-0380

CAD DWG. FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\06-A-105 - Riverfront Garage Lower Level Enlarged Plans.dwg

CAD DWG. FILE NAME: 06-A-105 - Riverfront



1 EXISTING PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-104



2 NEW PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-106



3 EXISTING PAVEMENT MARKINGS/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 1/A-106



4 EXISTING PAVEMENT MARKINGS/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 1/A-106



5 EXISTING PAVEMENT MARKINGS/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 1/A-106



6 EXISTING PAVEMENT MARKINGS
 SCALE: NONE
 CROSS REFERENCE: 1/A-106

CAD DWG. FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\07-A-106 - Riverfront Garage Lower Level Enlarged Plans.dwg

CAD DWG. FILE NAME: 07-A-106 - Riverfront

LEGEND	
	= PAY & DISPLAY METER
	= BOLLARD
	= ACCESSIBLE PAVEMENT MARKING
	= DIRECTIONAL MARKING
	= ACCESSIBLE PARKING SIGNAGE
	= VAN ACCESSIBLE SIGNAGE
	= ACCESS AISLE SIGNAGE
	= ACCESS AISLE

SYMBOLS LIST	
	DETAIL TAG
	SECTION TAG
	ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

RICHARD A. CAMPAGNOLA
 R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016 C.T. MALE ASSOCIATES

DESIGNED: RAC
 DRAFTED: BPM
 CHECKED: RAC
 PROJ. NO: 16.6275
 SCALE: AS NOTED
 DATE: 9/26/2016

RIVERFRONT GARAGE LOWER LEVEL WEST PARKING LAYOUT PLAN


ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK


C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299

A-106
 SHEET 7 OF 18
 DWG. NO: 16-0380



1 EXISTING PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-104




5 EXISTING PAVEMENT MARKINGS/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 1/A-107



6 EXISTING AISLE AT ACCESSIBLE ROUTE
 SCALE: NONE
 CROSS REFERENCE: 1/A-107



7 EXISTING PAY METER BY AUTHORITY
 SCALE: NONE
 CROSS REFERENCE: 1/A-107




3 UPPER LEVEL EXISTING PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-104




8 EXISTING PAVEMENT MARKINGS/SIGNAGE
 SCALE: NONE
 CROSS REFERENCE: 3/A-107



9 EXISTING SIGNAGE TO BE REMOVED
 SCALE: NONE
 CROSS REFERENCE: 3/A-107



2 NEW PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-107



4 UPPER LEVEL NEW PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-107



10 EXISTING ELEVATOR AT ACCESSIBLE ROUTE
 SCALE: NONE
 CROSS REFERENCE: 3/A-107

CAD DWG FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\08-A-107 - Riverfront Garage Lower Level Enlarged Plans.dwg

LEGEND	
	= PAY & DISPLAY METER
	= BOLLARD
	= ACCESSIBLE PAVEMENT MARKING
	= DIRECTIONAL MARKING
	= ACCESSIBLE PARKING SIGNAGE
	= VAN ACCESSIBLE SIGNAGE
	= ACCESS AISLE SIGNAGE
	= ACCESS AISLE

SYMBOLS LIST	
	DETAIL TAG
	SECTION TAG
	ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

RICHARD A. CAMPAGNOLA
 R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

RIVERFRONT GARAGE LOWER & UPPER LEVEL SOUTH PARKING LAYOUT PLAN


ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK


C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299

A-107
 SHEET 8 OF 18
 DWG. NO: 16-0380



1 ENLARGED PARTIAL PLAN
A-108 SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-104



2 ENLARGED PARTIAL PLAN
A-108 SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-108



3 MAIDEN LANE ENTRANCE EXISTING CLEARANCE SIGNAGE
A-108 SCALE: NONE
CROSS REFERENCE: 1/A-108



4 EXISTING ACCESSIBLE PARKING MARKINGS/SIGNAGE TO BE REMOVED
A-108 SCALE: NONE
CROSS REFERENCE: 1/A-108

LEGEND

	= PAY & DISPLAY METER		= ACCESSIBLE PARKING SIGNAGE
	= BOLLARD		= VAN ACCESSIBLE SIGNAGE
	= ACCESSIBLE PAVEMENT MARKING		= ACCESS AISLE SIGNAGE
	= DIRECTIONAL MARKING		= ACCESS AISLE

SYMBOLS LIST

	DETAIL TAG		SECTION TAG		ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION		SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION		SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

RICHARD A. CAMPAGNOLA
R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016
C.T. MALE ASSOCIATES

DESIGNED: RAC
DRAFTED: BPM
CHECKED: RAC
PROJ. NO: 16.6275
SCALE: AS NOTED
DATE: 9/26/2016

RIVERFRONT GARAGE LOWER LEVEL EAST PARKING LAYOUT PLAN

ALBANY PARKING AUTHORITY
25 ORANGE STREET, ALBANY NY, 12207


CITY OF ALBANY ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
518.786.7400 * FAX 518.786.7299

A-108

SHEET 9 OF 18
DWG. NO: 16-0380




1 LOWER LEVEL EXISTING PAVEMENT MARKINGS
 SCALE: 1/16"=1'-0"
 CROSS REFERENCE: EXISTING INFORMATION TAKEN FROM DRAWINGS TITLED, "ALBANY PARKING AUTHORITY, GARAGE #2", PREPARED BY ZETLIN-OXHANDLER, INC., DATED JUNE 2, 1987.



2 VIEW FROM HUDSON AVENUE
 SCALE: NONE
 CROSS REFERENCE: 1/A-109



3 ACCESSIBLE SOUTH ENTRANCE
 SCALE: NONE
 CROSS REFERENCE: 1/A-109



4 HUDSON AVENUE ENTRANCE
 SCALE: NONE
 CROSS REFERENCE: 1/A-109



5 GREEN STREET ENTRANCE
 SCALE: NONE
 CROSS REFERENCE: 1/A-109



6 GREEN STREET ACCESSIBLE ENTRANCE
 SCALE: NONE
 CROSS REFERENCE: 1/A-109

LEGEND

	= PAY & DISPLAY METER		= ACCESSIBLE PARKING SIGNAGE
	= BOLLARD		= VAN ACCESSIBLE SIGNAGE
	= ACCESSIBLE PAVEMENT MARKING		= ACCESS AISLE SIGNAGE
	= DIRECTIONAL MARKING		= ACCESS AISLE

SYMBOLS LIST

	DETAIL TAG		SECTION TAG		ELEVATION TAG
SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION					
SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED					

RICHARD A. CAMPAGNOLA
 R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.
 © 2016 C.T. MALE ASSOCIATES
 DESIGNED: RAC
 DRAFTED: BPM
 CHECKED: RAC
 PROJ. NO: 16.6275
 SCALE: AS NOTED
 DATE: 9/26/2016

GREEN-HUDSON GARAGE LOWER LEVEL EXISTING PARKING LAYOUT PLAN

ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207


CITY OF ALBANY ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.


50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299




A-109
 SHEET 10 OF 18
 DWG. NO: 16-0380





1
A-111
SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-109



2
A-111
SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-111




3
A-111
SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-109




4
A-111
SCALE: NONE
CROSS REFERENCE: 1/A-111



5
A-111
SCALE: NONE
CROSS REFERENCE: 1/A-111



6
A-111
SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-109



7
A-111
SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-109



8
A-111
SCALE: NONE
CROSS REFERENCE: 1/A-111

LEGEND

	= PAY & DISPLAY METER		= ACCESSIBLE PARKING SIGNAGE
	= BOLLARD		= VAN ACCESSIBLE SIGNAGE
	= ACCESSIBLE PAVEMENT MARKING		= ACCESS AISLE SIGNAGE
	= DIRECTIONAL MARKING		= ACCESS AISLE

SYMBOLS LIST

	DETAIL TAG		SECTION TAG		ELEVATION TAG
SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION					
SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED					

RICHARD A. CAMPAGNOLA
R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016
C.T. MALE ASSOCIATES

DESIGNED: RAC
DRAFTED: BPM
CHECKED: RAC
PROJ. NO: 16.6275
SCALE: AS NOTED
DATE: 9/26/2016

GREEN-HUDSON GARAGE LOWER LEVEL WEST PARKING LAYOUT PLAN


ALBANY PARKING AUTHORITY
25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY


C.T. MALE ASSOCIATES
Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
518.786.7400 * FAX 518.786.7299


A-111
SHEET 12 OF 18
DWG. NO: 16-0380




1 LOWER LEVEL EXISTING PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-109



3 LOWER LEVEL EXISTING PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-109



2 LOWER LEVEL VAN ACCESSIBLE PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-112



4 LOWER LEVEL VAN ACCESSIBLE PARKING LAYOUT
 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 3/A-112



5 EXISTING CURB RAMP
 SCALE: NONE
 CROSS REFERENCE: 3/A-112



6 EXISTING VAN ACCESSIBLE PARKING
 SCALE: NONE
 CROSS REFERENCE: 3/A-112



7 EXISTING ACCESSIBLE PARKING
 SCALE: NONE
 CROSS REFERENCE: 1/A-112




8 EXISTING ACCESSIBLE ENTRANCE
 SCALE: NONE
 CROSS REFERENCE: 3/A-112




9 EXISTING UTILITY METERS
 SCALE: NONE
 CROSS REFERENCE: 3/A-112



10 EXISTING ACCESSIBLE ROUTE
 SCALE: NONE
 CROSS REFERENCE: 3/A-112



11 APPROACH CLEARANCE DETAIL
 SCALE: 3/8"=1'-0"
 CROSS REFERENCE: 4/A-112



12 CURB RAMP DETAIL
 SCALE: NONE
 CROSS REFERENCE: 4/A-112

LEGEND

= PAY & DISPLAY METER	= ACCESSIBLE PAVEMENT MARKING
= BOLLARD	= DIRECTIONAL MARKING
= ACCESSIBLE PARKING SIGNAGE	= VAN ACCESSIBLE SIGNAGE
= ACCESS AISLE SIGNAGE	= ACCESS AISLE

SYMBOLS LIST

= DETAIL TAG	= SECTION TAG	= ELEVATION TAG
SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION		
SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED		

RICHARD A. CAMPAGNOLA
 R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016
 C.T. MALE ASSOCIATES

DESIGNED: RAC
 DRAFTED: BPM
 CHECKED: RAC
 PROJ. NO: 16.6275
 SCALE: AS NOTED
 DATE: 9/26/2016

GREEN-HUDSON GARAGE LOWER LEVEL EAST PARKING LAYOUT PLAN


ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK


C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299

A-112
 SHEET 13 OF 18
 DWG. NO: 16-0380



1 3RD LEVEL EXISTING PARKING LAYOUT
 A-113 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: EXISTING INFORMATION TAKEN FROM DRAWINGS TITLED, "ALBANY PARKING AUTHORITY, GARAGE #2", PREPARED BY ZETLIN-OXHANDLER, INC., DATED JUNE 2, 1987.



2 3RD LEVEL NEW PARKING LAYOUT
 A-113 SCALE: 1/8"=1'-0"
 CROSS REFERENCE: 1/A-113



3 EXISTING VEHICLE IMPACT BARRIER
 A-113 SCALE: NONE
 CROSS REFERENCE: 1/A-113



4 EXISTING ACCESSIBLE PARKING SPACE
 A-113 SCALE: NONE
 CROSS REFERENCE: 1/A-113

CAD DWG FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\14-A-113 - Green-Hudson Garage.dwg

LEGEND	
	= PAY & DISPLAY METER
	= BOLLARD
	= ACCESSIBLE PAVEMENT MARKING
	= DIRECTIONAL MARKING
	= ACCESSIBLE PARKING SIGNAGE
	= VAN ACCESSIBLE SIGNAGE
	= ACCESS AISLE SIGNAGE
	= ACCESS AISLE

SYMBOLS LIST	
	DETAIL TAG
	SECTION TAG
	ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

RICHARD A. CAMPAGNOLA
 R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

GREEN-HUDSON GARAGE 3RD LEVEL EXISTING & NEW PARKING LAYOUT


ALBANY PARKING AUTHORITY
 25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK


C.T. MALE ASSOCIATES
 Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
 518.786.7400 * FAX 518.786.7299

A-113
 SHEET 14 OF 18
 DWG. NO: 16-0380



1
A-114
4TH LEVEL EXISTING PARKING LAYOUT
SCALE: 1/8"=1'-0"
CROSS REFERENCE: EXISTING INFORMATION TAKEN FROM DRAWINGS TITLED, "ALBANY PARKING AUTHORITY, GARAGE #2", PREPARED BY ZETLIN-OXHANDLER, INC., DATED JUNE 2, 1987.



2
A-114
4TH LEVEL NEW PARKING LAYOUT
SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-114



3
A-114
EXISTING VEHICLE IMPACT BARRIER
SCALE: NONE
CROSS REFERENCE: 1/A-113



4
A-114
EXISTING ACCESSIBLE PARKING SPACE
SCALE: NONE
CROSS REFERENCE: 1/A-113

CAD DWG FILE NAME: K:\Projects\166275\Bldg\03_Parking Garage Drawings - ADDENDUM 1\15-A-114 - Green-Hudson Garage.dwg

LEGEND	
	= PAY & DISPLAY METER
	= BOLLARD
	= ACCESSIBLE PAVEMENT MARKING
	= DIRECTIONAL MARKING
	= ACCESSIBLE PARKING SIGNAGE
	= VAN ACCESSIBLE SIGNAGE
	= ACCESS AISLE SIGNAGE
	= ACCESS AISLE

SYMBOLS LIST	
	DETAIL TAG
	SECTION TAG
	ELEVATION TAG
	SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION
	SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

RICHARD A. CAMPAGNOLA
R.A. 025359

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016
C.T. MALE ASSOCIATES

DESIGNED: RAC
DRAFTED: BPM
CHECKED: RAC
PROJ. NO: 16.6275
SCALE: AS NOTED
DATE: 9/26/2016

GREEN-HUDSON GARAGE 4TH LEVEL EXISTING & NEW PARKING LAYOUT




ALBANY PARKING AUTHORITY
25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
518.786.7400 * FAX 518.786.7299

	A-114
SHEET 15 OF 18	DWG. NO: 16-0380



© 2016 - GOOGLE CORPORATION

3 EXISTING ROOF LEVEL VIEW
SCALE: NONE
CROSS REFERENCE: 1/A-115

1 5TH LEVEL EXISTING PARKING LAYOUT
SCALE: 1/8"=1'-0"
CROSS REFERENCE: EXISTING INFORMATION TAKEN FROM DRAWINGS TITLED, "ALBANY PARKING AUTHORITY, GARAGE #2", PREPARED BY ZETLIN-OXHANDLER, INC., DATED JUNE 2, 1987.



2 5TH LEVEL NEW PARKING LAYOUT
SCALE: 1/8"=1'-0"
CROSS REFERENCE: 1/A-115



LEGEND

= PAY & DISPLAY METER	= ACCESSIBLE PARKING SIGNAGE
= BOLLARD	= VAN ACCESSIBLE SIGNAGE
= ACCESSIBLE PAVEMENT MARKING	= ACCESS AISLE SIGNAGE
= DIRECTIONAL MARKING	= ACCESS AISLE

SYMBOLS LIST

= DETAIL TAG	= SECTION TAG	= ELEVATION TAG
= SECTION (NUMBER) OR DETAIL (NUMBER) DESIGNATION	= SHEET NUMBER WHERE SECTION OR DETAIL IS LOCATED	

RICHARD A. CAMPAGNOLA
R.A. 025359

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW.

© 2016
C.T. MALE ASSOCIATES

DESIGNED: RAC
DRAFTED: BPM
CHECKED: RAC
PROJ. NO: 16.6275
SCALE: AS NOTED
DATE: 9/26/2016

GREEN-HUDSON GARAGE 5TH LEVEL EXISTING & NEW PARKING LAYOUT

ALBANY PARKING AUTHORITY
25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY


ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
518.786.7400 * FAX 518.786.7299




A-115
SHEET 16 OF 18
DWG. NO: 16-0380



THE PARKING SPACE SHALL BE 96 INCHES WIDE MINIMUM AND SHALL HAVE AN ADJACENT ACCESS AISLE OF 96 INCHES WIDE MINIMUM.

TWO PARKING SPACES SHALL BE PERMITTED TO SHARE A COMMON ACCESS AISLE.


ACCESS AISLE SHALL EXTEND THE FULL LENGTH OF THE PARKING SPACE THEY SERVE AND SHALL HAVE A SURFACE SLOPE NOT STEEPER THAN 1:48.



THE PARKING SPACE SHALL BE 96 INCHES WIDE MINIMUM AND SHALL HAVE AN ADJACENT ACCESS AISLE OF 96 INCHES WIDE MINIMUM.

TWO PARKING SPACES SHALL BE PERMITTED TO SHARE A COMMON ACCESS AISLE.

ACCESS AISLE SHALL EXTEND THE FULL LENGTH OF THE PARKING SPACE THEY SERVE AND SHALL HAVE A SURFACE SLOPE NOT STEEPER THAN 1:48.



THE PARKING SPACE SHALL BE 96 INCHES WIDE MINIMUM AND SHALL HAVE AN ADJACENT ACCESS AISLE OF 96 INCHES WIDE MINIMUM.

TWO PARKING SPACES SHALL BE PERMITTED TO SHARE A COMMON ACCESS AISLE.

ACCESS AISLE SHALL EXTEND THE FULL LENGTH OF THE PARKING SPACE THEY SERVE AND SHALL HAVE A SURFACE SLOPE NOT STEEPER THAN 1:48.

PARKING SPACE NOTES:

- THE DRAWINGS ARE A SCHEMATIC REPRESENTATION OF THE PARKING LOT LAYOUTS BASED UPON LIMITED AVAILABLE INFORMATION PROVIDED BY THE ALBANY PARKING AUTHORITY, THE INTENT OF WHICH IS TO MAINTAIN THE EXISTING LAYOUT AND DIMENSIONS WHILE PROVIDING THE INDICATED IMPROVEMENTS FOR ACCESSIBILITY. THE CONTRACTOR SHALL NOTIFY THE AUTHORITY IMMEDIATELY OF ANY CONFLICT BETWEEN THESE NOTES AND DETAILS AND THE AS-FOUND CONDITIONS. THE CONTRACTOR SHALL NOT PROCEED WITH THE WORK FOR WHICH THE ALLEGED CONFLICT HAS BEEN DISCOVERED UNTIL SUCH ALLEGED CONFLICT HAS BEEN RESOLVED. NO CLAIM SHALL BE MADE BY THE CONTRACTOR FOR DELAY DAMAGES AS A RESULT OF RESOLUTION OF ANY SUCH CONFLICT(S).
- IT IS ESSENTIAL THAT CONTRACTORS ARE AWARE OF THE SITE ACCESSIBILITY REQUIREMENTS. THE AUTHORITY HAS DEVELOPED THESE NOTES AND DETAILS TO ASSURE THAT CONTRACTORS ARE AWARE OF THE REQUIREMENTS AT THE POINT IN TIME WHEN THEY ARE BIDDING THE PROJECT. IN ADDITION, THE AUTHORITY HAS MADE A POINT IN THESE NOTES AND DETAILS TO PROVIDE INFORMATION THAT COMPLY WITH THE ADAAG, BUILDING CODE OF NEW YORK STATE AND APPLICABLE LOCAL LAWS AND REGULATIONS, LATEST EDITIONS. IF THESE REQUIREMENTS ARE NOT ACHIEVABLE, THE CONTRACTOR IS REQUIRED TO CONTACT THE AUTHORITY IMMEDIATELY AND BEFORE MOVING FORWARD WITH THE WORK.
- ALL WORK SHALL BE PERFORMED IN STRICT COMPLIANCE WITH ALL THE REQUIREMENTS OF LOCAL, STATE AND NATIONAL BUILDING SAFETY CODES, AND ALL GOVERNING AGENCIES HAVING JURISDICTION OVER THE PROJECT.
- ACCESSIBLE PARKING SPACES AND ACCESS AISLES SHALL BE AT LEAST NINETY-SIX (96) INCHES WIDE. WHERE PARKING SPACES AND ACCESS AISLES ARE MARKED WITH LINES, THE WIDTH MEASUREMENTS SHALL BE MADE FROM CENTERLINE OF THE MARKINGS. WHERE PARKING SPACES OR ACCESS AISLES ARE NOT ADJACENT TO ANOTHER PARKING SPACE OR ACCESS AISLES, MEASUREMENTS SHALL BE PERMITTED TO INCLUDE THE FULL WIDTH OF THE LINE DEFINING THE PARKING SPACE OR ACCESS AISLE.
- ACCESS AISLES SHALL NOT OVERLAP THE VEHICULAR WAY. ACCESS AISLES SHALL BE PERMITTED TO BE PLACED ON EITHER SIDE OF THE PARKING SPACE EXCEPT FOR ANGLED VAN PARKING SPACES WHICH SHALL HAVE ACCESS AISLES LOCATED ON THE PASSENGER SIDE OF THE PARKING SPACES.
- FLOOR SURFACES OF PARKING SPACES AND ACCESS AISLES SERVING THEM SHALL BE STABLE, FIRM AND SLIP RESISTANT. ACCESS AISLES SHALL BE AT THE SAME LEVEL AS THE PARKING SPACES THEY SERVE. CHANGES IN LEVEL ARE NOT PERMITTED.
- PARKING SPACES AND ACCESS AISLES SHALL BE LEVEL WITH SURFACE SLOPES NOT EXCEEDING 2.0% IN ALL DIRECTIONS.
- PARKED VEHICLE OVERHANGS SHALL NOT REDUCE THE REQUIRED CLEAR WIDTH OF AN ACCESSIBLE ROUTE.
- PARKING SPACES FOR VANS AND ACCESS AISLES AND VEHICULAR ROUTES SERVING THEM SHALL PROVIDE A VERTICAL CLEARANCE OF NINETY-EIGHT (98) INCHES MINIMUM.
- ACCESSIBLE PARKING SPACE, ACCESS AISLE STRIPING, AND INTERNATIONAL SYMBOL OF ACCESSIBILITY SHALL BE PAINTED BLUE.

ICC/ANSI A117.1-2003

502.3 VEHICLE SPACE MARKING: CAR AND VAN PARKING SPACES SHALL BE MARKED TO DEFINE THE WIDTH. WHERE PARKING SPACES ARE MARKED WITH LINES, THE WIDTH MEASUREMENTS OF PARKING SPACES AND ADJACENT ACCESS AISLES SHALL BE MADE FROM THE CENTERLINE OF THE MARKINGS.

502.4 ACCESS AISLE: CAR AND VAN PARKING SPACES SHALL HAVE AN ADJACENT ACCESS AISLE COMPLYING WITH SECTION 502.4.

502.4.1 LOCATION: ACCESS AISLES SHALL ADJOIN AN ACCESSIBLE ROUTE. TWO PARKING SPACES SHALL BE PERMITTED TO SHARE A COMMON ACCESS AISLE. ACCESS AISLES SHALL NOT OVERLAP WITH THE VEHICULAR WAY. PARKING SPACES SHALL BE PERMITTED TO HAVE ACCESS AISLES PLACED ON EITHER SIDE OF THE CAR OR VAN PARKING SPACE. VAN PARKING SPACES THAT ARE ANGLED SHALL HAVE ACCESS AISLES LOCATED ON THE PASSENGER SIDE OF THE PARKING SPACE.

502.4.3 LENGTH: ACCESS AISLES SHALL EXTEND THE FULL LENGTH OF THE PARKING SPACES THEY SERVE.

502.4.4 MARKING: ACCESS AISLES SHALL BE MARKED SO AS TO DISCOURAGE PARKING IN THEM. WHERE ACCESS AISLES ARE MARKED WITH LINES, THE WIDTH MEASUREMENTS OF ACCESS AISLES AND ADJACENT PARKING SPACES SHALL BE MADE FROM THE CENTERLINE OF THE MARKINGS.

502.5 FLOOR SURFACES: PARKING SPACES AND ACCESS AISLES SHALL HAVE SURFACE SLOPES NOT STEEPER THAN 1:48. ACCESS AISLES SHALL BE AT THE SAME LEVEL AS THE PARKING SPACES THEY SERVE.

502.6 VERTICAL CLEARANCE: PARKING SPACES FOR VANS, ACCESS AISLES SERVING THEM, AND VEHICULAR ROUTES FROM AN ENTRANCE TO THE VAN PARKING SPACES, AND FROM THE VAN PARKING SPACES TO A VEHICULAR EXIT SERVING THEM SHALL PROVIDE A VERTICAL CLEARANCE OF 98" INCHES MINIMUM.

BUILDING CODE OF NEW YORK STATE

§1106.1 REQUIRED. WHERE PARKING IS PROVIDED, ACCESSIBLE PARKING SPACES SHALL BE PROVIDED IN COMPLIANCE WITH TABLE 1106.1, EXCEPT AS REQUIRED BY SECTIONS 1106.2 THROUGH 1106.4. WHERE MORE THAN ONE PARKING FACILITY IS PROVIDED ON A SITE, THE NUMBER OF PARKING SPACES REQUIRED TO BE ACCESSIBLE SHALL BE CALCULATED SEPARATELY FOR EACH PARKING FACILITY.

MINIMUM NUMBER OF ACCESSIBLE PARKING SPACES			
TABLE 1106.1		ADA STANDARDS FOR ACCESSIBLE DESIGN 4.1.2	
TOTAL NUMBER OF PARKING SPACES PROVIDED	REQUIRED MINIMUM NUMBER OF ACCESSIBLE SPACES	VAN ACCESSIBLE PARKING SPACES WITH MIN. 96" WIDE ACCESS AISLE (a)	ACCESSIBLE PARKING SPACES WITH MIN. 96" WIDE ACCESS AISLE (a)
1 TO 25	1	1	0
26 TO 50	2	1	1
51 TO 75	3	1	2
76 TO 100	4	1	3
101 TO 150	5	1	4
151 TO 200	6	1	5
201 TO 300	7	1	6
301 TO 400	8	1	7
401 TO 500	9	2	7
501 TO 1000	2% OF TOTAL PARKING PROVIDED IN EACH LOT	1/8 OF COLUMN A*	7/8 OF COLUMN A**
1001 AND OVER	20 PLUS 1 FOR EACH 100 OVER 1000	1/8 OF COLUMN A*	7/8 OF COLUMN A**


* ONE OUT OF EVERY 8 ACCESSIBLE SPACES ** 7 OUT OF EVERY 8 ACCESSIBLE PARKING SPACES

a. §1106.1.1 ACCESS AISLES. ACCESSIBLE PARKING SPACES SHALL BE IN CONFORMANCE WITH ICC/ANSI A117.1 EXCEPT THAT SPACES SHALL BE PROVIDED WITH ACCESS AISLES AT LEAST 8 FEET IN WIDTH.


1 VAN ACCESSIBLE PARKING SPACE
SCALE: 1/8"=1'-0"
CROSS REFERENCE: REFER TO PARKING LOT PLANS

2 ACCESSIBLE PARKING SPACES
SCALE: 1/8"=1'-0"
CROSS REFERENCE: REFER TO PARKING LOT PLANS

3 ACCESSIBLE PARKING SPACES
SCALE: 1/8"=1'-0"
CROSS REFERENCE: REFER TO PARKING LOT PLANS



4 CROSSWALK MARKING DETAIL
SCALE: 1/4"=1'-0"
CROSS REFERENCE: REFER TO PARKING LOT PLANS



5 STOP MARKING DETAIL
SCALE: 1/4"=1'-0"
CROSS REFERENCE: REFER TO PARKING LOT PLANS

DATE	REVISIONS RECORD/DESCRIPTION	DRAFTER	CHECK	APPR.
11/7/16	SYMBOL OF ACCESSIBILITY UPDATE	BPM	RAC	RAC

PARKING DETAILS

ALBANY PARKING AUTHORITY
25 ORANGE STREET, ALBANY NY, 12207

CITY OF ALBANY ALBANY COUNTY, NEW YORK

C.T. MALE ASSOCIATES
Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110
518.786.7400 * FAX 518.786.7299

A-501
SHEET 17 OF 18
DWG. NO: 16-0380

